Unlimited technical support 888-816-8127

FREEDOMLEG

www.**FWDMOBILITY.**com



Who Can Use the Freedom Leg?

The simple answer is ANYONE with ankle, foot or knee injuries requiring non-weight bearing. Walk with zero weight on the injured lower leg.

- Femur Fracture
- Femoral condylar fracture
- Fusion of foot or ankle
- Proximial tibial fractures
- Midshaft tibial fractures
- · Fractures of the foot and ankle

• Micro fracture of the knee

Micro-fracture surgery

Osteotomies

Patellor fractures

Post-op neuromas

Achilles ruptures

Plantar wounds

Bunionectomy





100% Off-Loading 100% Hands Free





How it works: The freedom leg

Wrap-around thigh cuff stabilizes and supports femur

Adjusting angle of thigh cuff allows hips to remain level ensuring proper symmetry and gait

Dual Carbon Fiber beams provide knee stability

Upper and lower straps work together to stabilize and support lower leg and can accommodate a boot or cast

Properly adjusted, the foot will float above the floor with zero weight from the knee down

External stirrup is compatible with boot or cast

No Limitations!

WALK WITHOUT CRUTCHES

With your hands free you can accomplish all your normal day to day tasks without assistance.

ADDITIONAL KNEE STABILIZATION

When additional knee stability is required the Freedom Leg is the answer.

SAFER ON STAIRS

With your hands available to hold onto a handrail you can safely navigate stairs.

COMPATIBLE WITH CAST OR BOOT

Unique external stirrup wraps around and under cast or boot.

CONTROL COUNTERFORCE ON LEG

Adjusting the length of the brace give complete control of the weight on the injured leg.

BEFORE AND AFTER SURGERY

Perfect solution both before surgery and after surgery.


LIGHTWEIGHT AND DURABLE

Made from light weight and durable advanced composite materials. Total weight is 3 lbs.


www.freedomleg.com

Directions for measurements for a Freedom Brace

- 1. Prior to being fitted for your Freedom Brace, I need measurements so Joel Smith, the designer and maker of the Freedom Brace can select the correct sizes to bring for your appointment. (Fitting is usually done at your pre-surgery appointment)
- 2. Standing in bare feet, measure the side you are having surgery on. The first measurement is the distance from the floor to the middle of your kneecap



3. The second measurement is the circumference of your thigh at its widest part.



And that's it! Please call and leave a message or email the measurements to 425-775-6996 X 1224 or: s.clarke@proliancesurgeons.com

Thanks you,
Sara Clarke
Surgery Coordinator